

SPECIFICATIONS FOR ALL 5'x5' BALTIC BIRCH PANELS												
THICKNESS	3mm	6mm	8mm	9mm	10mm	12mm	15mm	18mm	25mm	28mm	32mm	40mm
CORE	BIRCH	BIRCH	BIRCH	BIRCH								
PLY COUNT	3ply	5ply	7ply	7ply	7ply	9ply	11ply	13ply	17ply	19ply	21ply	28ply
SHEETS PER UNIT	130	65	50	44	40	33	26	22	16	14	12	10
GLUE	Urea	Urea	Urea	Urea								
WEIGHT PER SHEET	11 lbs	22lbs	29lbs	32lbs	36lbs	43lbs	55lbs	64lbs	88lbs	101lbs	118lbs	141lbs
THICKNESS TOLLERANCE **sanded panels	+0.3mm -0.4mm	+0.4mm -0.5mm	+0.4mm -0.6mm	+0.4mm -0.6mm	+0.5mm -0.7mm	+0.5mm -0.7mm	+0.6mm -0.7mm	+0.7mm -0.9mm	+0.9mm -1.1mm	+1mm -1.2mm	+1.1mm -1.2mm	+1.2mm -1.3mm
DIMENSION TOLLERANCE	+/- 4mm	+/- 4mm	+/- 4mm	+/- 4mm								

SPECIFICATIONS FOR ALL 4'x8' BALTIC BIRCH PANELS									
THICKNESS	6mm	9mm	12mm	15mm	18mm	24mm	28mm	32mm	40mm
CORE	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH
PLY COUNT	5ply	7ply	9ply	11ply	13ply	17ply	19ply	21ply	28ply
SHEETS PER UNIT	65	44	33	26	22	16	14	12	10
GLUE	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic
WEIGHT PER SHEET	29lbs	42lbs	56lbs	72lbs	84lbs	116lbs	132lbs	155lbs	185lbs
THICKNESS TOLLERANCE **sanded panels	+0.4mm -0.5mm	+0.4mm -0.6mm	+0.5mm -0.7mm	+0.6mm -0.7mm	+0.7mm -0.9mm	+0.9mm -1.1mm	+1mm -1.2mm	+1.1mm -1.2mm	+1.2mm -1.3mm
DIMENSION TOLLERANCE	+/- 4mm	+/- 4mm	+/- 4mm	+/- 4mm					

SPECIFICATIONS FOR ALL 10'x5' BALTIC BIRCH PANELS						
THICKNESS	6mm	9mm	12mm	15mm	18mm	24mm
CORE	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH	BIRCH
PLY COUNT	5ply	7ply	9ply	11ply	13ply	17ply
SHEETS PER UNIT	65	44	33	26	22	16
GLUE	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic	Phenolic
WEIGHT PER SHEET	44lbs	64lbs	86lbs	110lbs	128lbs	176lbs
THICKNESS TOLLERANCE **sanded panels	+0.4mm -0.5mm	+0.4mm -0.6mm	+0.5mm -0.7mm	+0.6mm -0.7mm	+0.7mm -0.9mm	+0.9mm -1.1mm

DIMENSION	+/- 4mm					
TOLLERANCE						